


^{2/5} Fig.2a.



Dilution of Ecoli Supernatant

Fig.2b.

anti-melamine Vhh-variation of antigen concentration

2.5

M-1C8


M-1E3


M-1E7

M-1G11

M-1G11

Melamine Capsule Concentration





Replacement Drawing

5/5

Fig.5.

VhhM-1E7

CAGGTGCAGCTGGTGGAGTCTGGGGGAGGATTGGTGCAGCCTCTGGAGACTCTCTGTGCAGCCTCTGGACG	80
CACCGGTAGTAGTTATGCCATGGGCTGGTTCCGCCAGGCTCCAGGGAAGGAGCGTGAGTTTGTAGCGTCTATTAGCCGGA	160
GCGGTAGTAGGACATATTATGCAGACTCCGTGAAGGGCCGATTCACCATCTCCAGAGACACGCCAAGAACACGGTGTAT	240
CTGCAAATGAGCAGCCTGAAACCTGAGGACACGGCCGTTTATTACTGTAATTACGGAAGAATAACGCGCGATTATTCGAA	320
CTACTGGGGCCAGGTCACCGTCTCCTCAGC 359	

VhhM-1G11

GCGGTGCAGCTGGTGGAGGCTTGGTGCAGCCTGGGGGGTCTCTGAGACTCTCCTGTGCAGCCTCTGGAAAG	80
CAT CACCAGTATGAATGC CATGGCCTGGTACCGCCAGGCTCCAGGGAAGCAGCGCGAGTTGGTCGCAGCTATTACTAGGA	16
GTGGTAACACAAACTATGCAGACTCCGTGAAGGGCCGATTCACCATCTCCAGAGACAACGCCAAGAACACGGTGTATCT G	24
CAAATGAACAGCCTGAAACCTGAGGACACGGCCGTCTATTACTGTAAAACAGTGGCTTCCGCGCGCTACTGGGGCCAGGG	320
GACCCAGGTCACCATCTCCTCAGC	